

## 9J Reconstruct a String from its Burrows-Wheeler Transform


---

### Inverse Burrows-Wheeler Transform Problem

Reconstruct a string from its Burrows-Wheeler transform.

**Input:** A string *Transform* (with a single "\$" symbol).

**Output:** The string *Text* such that  $\text{BWT}(\text{Text}) = \text{Transform}$



---

### Formatting

**Input:** A string *Transform*

**Output:** A string *Text* such that  $\text{BWT}(\text{Text}) = \text{Transform}$ .

### Constraints

- The length of *Transform* will be between 1 and  $10^3$ .

## Test Cases

### Case 1

**Description:** The sample dataset is not actually run on your code.


**Input:**

TTCCTAACG\$A

**Output:**

TACATCACGT\$

**Figure:**



Above is a general overview of the BWT inversion process.  $TTCCTAACG\$A$  is  $BWT(Text)$ , and we repeat the first-last traversal process until we have "filled" the top row of the BWT matrix. Lastly, we rotate the top row until the  $\$$  is at the end of the string to obtain  $TACATCACGT\$$ .

## Case 2

---

**Description:** There are no repeat characters in *Text*.

**Input:**

T\$ACG

**Output:**

ACGT\$

## Case 3

---

**Description:** *Text* is made up of only one character.

**Input:**

AAAAAAAAAA\$

**Output:**

AAAAAAAAAA\$

## Case 4

---

**Description:** *Text* is palindromic or has substrings that are palindromic.

**Input:**

TGCG\$AA

**Output:**

GAGCAT\$

## Case 5

---

**Description:** A larger dataset of the same size as that provided by the randomized autograder. Check input/output folders for this dataset.